

outremer

55 | *SPECIFICATIONS*



Visuals not contractual

55 | SPECIFICATIONS

Architects	<i>VPLP</i>
Design consultant	<i>Patrick Le Quément</i>
Interior design	<i>Darnet Design</i>
Length	<i>16,73 m / 54,9 ft</i>
Beam	<i>8,30 m / 27,2 ft</i>
Draught	<i>1,2 / 2,5 m / 4,4/7,5 ft</i>
Air draught (without antenna)	<i>24,60 m / 80,7 ft</i>
Displacement	<i>13,4/18,5 t</i>
Sail plan	
Mainsail	<i>104 m² / 1120 sq ft</i>
Genoa	<i>68 m² / 732 sq ft</i>
Selftacking jib	<i>48 m² / 520 sq ft</i>
Gennaker	<i>140 m² / 1560 sq ft</i>
Spinnaker	<i>220 m² / 2368 sq ft</i>
CE approval	<i>8/26 people</i>
Engines	<i>2 x 60 HP</i>



Visuals not contractual

LAYOUT

SALOON


- Large opening aft sliding window doors*
- L-shaped seating*
- Foldable dinner table*
- 2 extra storage settees, 2 heights*
- Wide accessible storage lockers beneath the seating*
- 2 vertical sliding hatches forward*
- 1 opening hatch in the coachroof with integrated blackout blind and flyscreen*
- Headroom: 2,05 m (6,7 ft)*

GALLEY

- Stainless steel single sink*
- Galley island worktop in corian*
- 3-gas burner hob*
- Fitted oven with grill*
- Pressurized hot and cold fresh water*
- 24V 190L water-cooled refrigerator, front opening with 2 drawers.*
- 2 built-in bins*
- Dedicated storage*
- 1 opening hatch in the coachroof with integrated blackout blind and flyscreen*
- Headroom: 2,05 m (6,7 ft)*

NAVIGATION STATION

- Large chart table with an opening for a laptop computer*
- Panel for navigation electronics*
- Charging area for small electronics*
- White/red reading light*
- Nav chair*



Visuals not contractual

3 CABIN VERSION

PORTSIDE HULL

COMPANIONWAY

Fixed outboard hull portlight
2 opening deck hatches with integrated blackout blind and flyscreen

AFT CABIN

Longitudinal berth 200cm x 180cm (7,8 x 5,9 ft) with slatted base and HD mattress
Large fixed outboard hull portlight
Opening deck hatch with integrated blackout blind and flyscreen
Portlight opening onto transom
Wardrobe, storage below the berth
2 LED reading lights at the head of the berth

BATHROOM

Basin with mixer tap
Manual seawater toilet
Opening portlight inboard

SEPARATE SHOWER

Basin with mixer tap
Shower

FORWARD CABIN (convertible in option)

Longitudinal berth 200cm x 150cm (6,5 x 5,9 ft) and HD mattress
Large fixed outboard hull portlight
Wardrobe, storage
Opening deck hatch with integrated blackout blind and flyscreen
2 LED lights at the head of the bed

SAIL LOCKER

Rail to hang fenders and lines
Opening deck hatch
LED lighting
Ladder

STARBOARD HULL

COMPANIONWAY

Fixed outboard hull portlight
Sliding door
Wardrobe, storage and desk
1 opening deck hatch with integrated blackout blind and flyscreen

AFT CABIN


Longitudinal berth 200cm x 180cm (7,7 x 5,9 ft) with slatted base and HD mattress
Large fixed outboard hull portlight
Opening deck hatch with integrated blackout blind and flyscreen
Portlight opening onto transom
Wardrobe, storage under the bed
2 LED reading lights at the head of the berth

BATHROOM

Sink basin with mixer tap
Manual sea toilet
Separate shower
Large fixed outboard hull portlight
Opening hatch to the inboard hull side
Opening deck hatch with integrated blackout blind and flyscreen

SAIL LOCKER

Rod to support fenders and ropes
Opening deck hatch
LED lighting
Ladder



Visuals not contractual

4 CABIN VERSION

STARBOARD HULL

COMPANIONWAY

Fixed outboard hull portlight
Opening deck hatch with integrated blackout blind and flyscreen

AFT CABIN

Longitudinal berth 200cm x 180cm (7,8 x 5,9 ft) with slatted base and HD mattress
Large fixed outboard hull portlight
Opening deck hatch with integrated blackout blind and flyscreen
Portlight opening onto transom
Wardrobe, storage below berth
2 LED reading lights at the head of the berth

BATHROOM

Basin with mixer tap
Manual seawater toilet
Separate shower
Opening portlight inboard

FORWARD CABIN

Longitudinal berth 200cm x 150cm (6,5 x 5,9 ft) and HD mattress
Large fixed outboard hull portlight
Wardrobe, storage under the bed
Opening deck hatch with integrated blackout blind and flyscreen
Opening hatch onto the inner hull
2 LED lights at the head of the bed

SAIL LOCKER

Rail to hang fenders and lines
Opening deck hatch
LED lightning
Ladder

PORTSIDE HULL

Identical to the 3 cabin version

DECK LAYOUT

DECK GEAR

4 winches at the helms for sheets, furlers, halyards, daggerboard controls and reefing lines
Mainsail track on aft beam
Self-tacking jib track with ball-bearing jib car
Quick-release clutches on deck and mast
Mooring cleats
Trampolines
Swimming ladder

RIGGING

Fixed aluminium roof-stepped mast
Dyform stays and upper shrouds
Shrouds triangulation in stainless steel wire rigging
Aluminium boom fitted with cams for the reefing lines
Fiberglass/carbon composite compression beam, integrating the chain and the anchor strut
Windex
Lazy bag and Lazy jacks
Jib furler
Gennaker rigging

COCKPIT

Seating on starboard side + on the aft beam
Foldable cockpit table
Carbon bimini
Lockers
White painted carbon davits

HELM STATIONS

2 canting composite steering wheels on rotative shafts
2 standing posts
Electronic engine controls, steering compass, electronic navigation panel
2 composite ergonomic helm seats

FOREDECK LOCKERS

2 wide lockers with fuel tanks
Access via deck hatch
2 propane 13kg bottles

TECHNICAL

SAILS

Fully-battened mainsail with square top in high-tenacity Dacron,
3 reefs
Solent jib in high-tenacity Dacron, self-tacking on furler

ENGINES

2 x 60 hp sail drive engines
2 x 300L fuel tanks
2-blade folding propeller
LED lighting in engine rooms

WATER

2 x 270L tanks + 40L hot water tank (220V + engine exchanger)
2 x 50L blackwater tanks
Transom shower (hot/cold fresh water)

ELECTRICITY

2 x 12V 60A alternators + 2 x 24V 110A alternators
Multiplexed 24V network with 5 inches control panel
Pack USB outlets + 12V outlet
Battery monitor
2 x 12 V, 90 A/h engine starter batteries with bipolar battery isolating switches
4 x 440 A/h 24V gel service batteries with bipolar battery isolating switches
6 electric bilge pumps (2 per engine room + 1 per hull)
2 000 W electric windlass
Navigation lights, masthead light, mooring light and Decklight, all LED
Shore power outlet with differential circuit breaker and galvanic protection

STEERING SYSTEM

2 balanced rudders on aluminum stocks passing through self-aligning bearings
Mechanical transmission with cables and torque tubes
1 emergency tiller

SAFETY

Crash bows and watertight bulkheads
2 escape hatches
75 cm high stainless steel stanchions, double row of guardrails (dynema)
2 jacklines
Storage for liferaft
5 fire extinguishers

CONSTRUCTION

Special NPG gelcoat
Vinylester barrier coating on the external skin
Sandwich bulkheads taped to hull and deck on both sides
Mast bulkhead and roof bulkheads in carbon fiber
Composite daggerboard trunks
Composite daggerboards